MASONRY

Time	e remaining: 00:10:00
Nam	e:
Date	
Company: Please answer the questions below to complete this module:	
2 a b c d	The Waste Management Section of the Ministry of Public Works outlines which of the following: All combustibles are to taken to Tynes Bay to be recycled into energy. All metals are taken to the airport dump to be used as land fill. Blue bags (TAG) Tin, Aluminum and Glass are taken to Devon Springs for recycling. All of the above.
3 a b c d	What is the minimum lap for rebar Rebar splices? Lap must not be 40 times the diameter 40" 48" Must refer to engineering specification
4 a	A means of access must be provided to a scaffold platform if there is no existing access withinfeet of the platform. 1
b	2
С	3
d	4
5 a b c d	What is the ratio of sand to cement for Bda Slate? 7 to 1 4 to 1 3 to 1 2 to 1
6 a b c d	What is the ratio of sand to cement mix for Bermuda Stone masonry 7 to 1 4 to 1 3 to 1 2 to 1

7 What is the minimum Concrete coverage for reinforcing steel?

a	2mm
b	3"
С	4"
d	Refer to National Concrete Cover Requirements
8	Structural Concrete
а	1000 psi
b	2000 psi
С	3000 psi
d	4000 psi
9	Lifting inserts which are embedded or otherwise attached to pre cast concrete members, shall be capable of supporting at leasttimes the maximum intended load applied or transmitted to them.
а	Two
b	Three
С	Four
d	Five
10 a b c d	What type of correctional program is used to plan the best way to control or prevent hazards in the event of a hurricane? Medical program. Emergency preparation. Preventative maintenance system. Severe Weather Plan
ŭ	
Signe	d By: Co Signed By:
Work	Parent or Representative

BERMUDA CONSTRUCTION SAFETY COUNCIL

BERMUDA CONSTRUCTION SAFETY COUNCIL